

WiPG-2000 [©]



The **WiPG-2000S** model has every-single feature we have packed inside. Part wireless presentation system, part media streamer, part perfection.

All new features



iOS mirroring (AirPlay Support)
Mirror your IOS devices through Airplay. Supports up to 1080p resolution.




Improved Security
Enhance the security of mirroring data by adopting AES-128 bit encryption on mirroring data, and https encryption for web browsing data.



Dual-band WiFi (2.4GHz & 5GHz)
Now supports the 5G/2.4G dual band WiFi, the 5GHz band offers more channels that are less interfered in most office environment.



Quick manual connect / Updated Plug & Show
Faster connections for guests or users on a different subnet. Quick connection for multiple sub nets. Ready to share in 10 seconds.




Auto-detect output resolution
Autodetect the output resolution of your display.





Save annotations
Annotating, writing and drawing can be done using your touchscreen, then save the entire screen to the USB drive.

SPECIFICATIONS	
Standards	IEEE 802.11 a/b/g/n 2.4GHz/5GHz IEEE802.3 (10BASE-T) / IEEE 802.3u (100BASE-TX) / IEEE 802.3ab (1000BASE-T)
Security	IEEE Standard 64/128 bit WEP/ WPA/ WPA2-PSK/ WPA-Enterprise/ WPA2-Enterprise
Management	Web-based configuration, SNMP V3
Supported Output Resolution	VGA: SVGA (800x600)/ XGA (1024x768)/ WXGA (1280x768)/ WXGA (1280x800)/ WXGA (1360x768)/ WXGA+(1440x990)/ UXGA (1600x1200)/ FHD(1920 x1080) HDMI: HD720p (1280x720)/ FHD1080i (1920x1080)/ FHD1080p (1920x1080)
Supported Operation System	Windows 7/ 8, Mac OS X 10.7/10.8/10.9/10.10 MirrorOp Presenter: Android 4.0 and above, iOS 4.2 and above
Power	External power adaptor DC 5V 2.6A, Power Over Ethernet
Interfaces	15Pin VGA, HDMI, RJ-45, USB2.0 x 3, Power Button, Reset Button, Stereo Phone Jack
Certificate	FCC/ CE



Updated desktop controller for windows and mac.



BASIC FEATURES:



Cross Platform

Windows. Macbooks. iOS. Android. Connect it all Wirelessly. With wePresent, BYOD meets wireless projection.



64-User Queue

Up to 64 users can connect to the wePresent gateway making it a truly collaborative experience.



1080p Resolution

With both an onboard VGA and HDMI video output, you can let classroom and conference room users wirelessly project in resolutions up to full 1080p.



Customized Logo on Standby Screen

Add a company logo to brand the standby screen, so it's the first thing users see.



WebSlides

Enables audience to follow along at their own pace and with their own device.



SidePad Mobile Control

Turn a mobile phone or tablet into a remote control for any projecting Mac or PC.



Quadrant Display

Allows users to project up-to 4 devices onscreen at the same time, and wirelessly collaborate in real time.



LAN Port

If wePresent is hardwired to your network, users can connect to your network as usual to wirelessly present and still maintain internet.



30fps

wePresent allows video mirroring at up to 30-frames-per-second for smooth video playback



Wireless Access Point

Broadcast an additional wireless SSID signal for your team or your guests to connect to.



Conference Control

Allows a designated moderator to select and control which device in queue will be displayed on screen.



USB Guest Access

Includes a fast Plug-and-Show USB token, enabling guests to give a wireless presentation without installing software on their computer.

INTERACTIVE FEATURES:



Touchscreen Control

Control and operate the presentation using the USB of the touchscreen display.



AirPad Controller Support

Write, draw and annotate, but also control any projecting computer using the special AirPad.



Interactive Whiteboard

With one click, switch the presentation to a white/blackboard environment for quick annotations.



OnScreen Annotation

During a presentation, write, draw and annotate on-screen using the built-in annotation overlay.

ADVANCED FEATURES:



USB Document/Media Player

Plays any document, image, audio and video file directly from your personal USB.



Onboard Video Player

Stream video file to the wePresent unit with full resolution and no latency.



Gigabit Lan and POE

Highest possible network speed. Power the wePresent units by ethernet cable.



1-to-Many Distribution

Projects one device to up-to 4 different wePresent displays.



Multi-Touch Touchscreen Control

Supports up to 6 separate finger-touch gestures on the touchscreen display.



Enhanced USB Control

Annotate onscreen or play media files via a wireless HID device such as the wePresent's AirPad, or a Bluetooth mouse.